

500

ISO14001 2015IDT GB/T24001-2016  
 OHSAS18001 2007 IDT GB/T28001-2011

/ / /

	)		
	91371000756385422Q		
	5905118		81
			20 1200

GB36600-2018	C10-C40 9000 mg/kg	HJ1021-2019	mg/kg C10-C40 6
	8000mg/kg	HJ491-2019	mg/kg 14
GB/T14848-2017	pH 6.5-8.5	GB/T5750.4-2006(5.1)	7.40
	mg/L 3.0	GB/T5750.7-2006(1.1)	mg/L 1.46
	CaCO <sub>3</sub> mg/L 450	GB/T5750.4-2006(7.1)	mg/L 218
	mg/L 250	GB/T5750.5-2006(1.3)	mg/L 78
	mg/L 250	GB/T5750.5-2006(2.1)	mg/L 87.7
	mg/L 1.00	GB/T5750.5-2006(10.1)	mg/L 0.005
	mg/L 20.0	GB/T5750.5-2006(5.2)	mg/L 1.49
	mg/L 1000	GB/T5750.4-2006(8.1)	mg/L 550

	MPN/100mL 3.0	GB/T5750.12-2006(2.1)	
--	---------------	-----------------------	--

17

		VOCs	
DB37/2376-2019 mg/m <sup>3</sup>			mg/m <sup>3</sup> :1.1-6.6
	GB27632-2011		mg/m <sup>3</sup> :1.01-2.78
	DB37/2801	VOCs 10	mg/m <sup>3</sup> VOCs 1.01-2.78
	t/a		t/a :8.35
	GB14554 1993	20	10-15
	GB27632-2011		mg/m <sup>3</sup> 0 25-0.66
	DB37/2801	VOCs 2	mg/m <sup>3</sup> 0 25-0.66

1

		COD <sub>cr</sub>	
	GB27632-2011 mg/L	COD <sub>cr</sub>	mg/L COD <sub>cr</sub> 131 17.5
	t/a	COD <sub>cr</sub> 3.7	t/a COD <sub>cr</sub> 25.9

GB12348-2008 dB		dB	54-58 43-47

	2402

2005 12
---------

37100220180012
----------------

2018 1
--------

/

/

•

/

•

/

/

•

•